

Muskegon County Youth Risk Behavior Survey: Detailed Results by Item

Muskegon County Trend in Risk Behaviors

(1996/97 - 2008/09)

| Item | Behavior | Muskegon 2008/09 | | | | | | Muskegon 1996/97 | Muskegon 2000/01 | Muskegon 2004/05 |
|--|---|---------------------|-----------|----------|--------|-------|-------|---------------------|---------------------|---------------------|
| | | Race/Ethnicity | | | Gender | | | | | |
| | | African American | Caucasian | Hispanic | Female | Male | Total | Total | Total | Total |
| UNINTENTIONAL INJURY | | | | | | | | | | |
| % of students who never/rarely wore a helmet while riding a bicycle during the past 12 months | Bicycle helmet use | 97.0% | 91.7% | 95.0% | 92.3% | 92.9% | 92.6% | N/A | N/A | N/A |
| % of students who never/rarely wear seat belt when riding in a car driven by someone else | Car passenger seat belt | 7.7% | 4.7% | 8.0% | 4.2% | 7.6% | 5.9% | N/A | 8.9% | 7.8% |
| % of students who during the past 30 days rode one or more times in a car or other vehicle driven by someone who had been drinking alcohol | Car passenger with driver DUI 30 days | 29.7% | 26.4% | 38.8% | 28.1% | 27.6% | 27.9% | N/A | 30.2% | 30.0% |
| % of students who during the past 30 days drove a car or other vehicle one or more times when they had been drinking alcohol | DUI 30 days | 11.7% | 9.1% | 12.9% | 6.4% | 14.6% | 10.5% | N/A | 11.9% | 10.4% |
| VIOLENCE | | | | | | | | | | |
| % of students who carried a weapon such as a gun, knife or club on one or more of the past 30 days | Weapon 30 days | 13.8% | 14.5% | 24.8% | 6.0% | 25.4% | 15.7% | N/A | 12.2% | 16.3% |
| % of students who during the past 12 months were bullied on school property | Bullied on school property 12 months | 11.3% | 21.2% | 23.4% | 21.2% | 20.1% | 20.5% | N/A | N/A | N/A |
| % of students who carried a gun on one or more of the past 30 days | Gun 30 days | 7.6% | 3.2% | 10.5% | 1.7% | 8.3% | 5.0% | N/A | 4.4% | 5.8% |
| % of students who did not go to school on one or more of the past 30 days because they felt unsafe at school or on their way to or from school | No school feeling unsafe 30 days | 8.7% | 5.1% | 13.2% | 6.4% | 7.0% | 6.8% | N/A | 5.0% | 5.9% |
| % of students who were in a physical fight one or more times during the past 12 months | Physical fight 12 months | 45.0% | 29.0% | 40.3% | 25.1% | 41.6% | 33.3% | 34.9% | 34.8% | 36.1% |
| % of students who were injured in a physical fight during the past 12 months & had to be treated by a doctor/nurse one or more times | Injury in fight requiring treatment 12 months | 6.4% | 3.0% | 4.9% | 3.0% | 5.1% | 4.1% | N/A | 4.5% | 4.4% |
| % of students who have ever been physically forced to have sexual intercourse when they did not want to | Forced sex ever | 9.8% | 5.9% | 8.5% | 9.1% | 5.6% | 7.4% | N/A | N/A | 7.2% |

| Item | Behavior | Muskegon 2008/09 | | | | | Muskegon 1996/97 | Muskegon 2000/01 | Muskegon 2004/05 | |
|--|--|------------------|-----------|----------|--------|-------|---------------------|---------------------|---------------------|-------|
| | | Race/Ethnicity | | | Gender | | | | | |
| VIOLENCE - continued | | African American | Caucasian | Hispanic | Female | Male | Total | Total | Total | |
| % of students who were ever hit, slapped or physically hurt on purpose by their boyfriend/girlfriend during the past 12 months | Physical violence with boyfriend/ girlfriend 12 months | 13.2% | 7.2% | 12.8% | 7.8% | 10.2% | 9.1% | N/A | N/A | 8.5% |
| DEPRESSION & SUICIDAL BEHAVIORS | | | | | | | | | | |
| % of students who ever felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months | Sad or hopeless two weeks 12 months | 25.4% | 21.5% | 30.5% | 29.9% | 17.2% | 23.6% | N/A | 26.6% | 26.1% |
| % of students who seriously considered attempting suicide during the past 12 months | Suicide consider attempt 12 months | 11.0% | 12.3% | 18.2% | 16.6% | 9.8% | 13.2% | N/A | 16.0% | 15.6% |
| % of students who made a plan about how they would attempt suicide during the past 12 months | Suicide planned 12 months | 9.8% | 9.9% | 14.2% | 13.2% | 8.7% | 10.9% | N/A | 12.6% | 12.2% |
| % of students who actually attempted suicide one or more times during the past 12 months | Suicide attempt 12 months | 9.7% | 5.6% | 10.0% | 8.0% | 6.7% | 7.4% | N/A | 8.3% | 8.9% |
| % of students whose attempted suicide during the past 12 months resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse | Suicide injury treated 12 months | 3.9% | 1.5% | 3.1% | 2.4% | 2.7% | 2.5% | N/A | 2.9% | 2.9% |
| TOBACCO | | | | | | | | | | |
| % of students who ever tried cigarette smoking, even one or two puffs | Cigarettes ever | 40.4% | 39.7% | 49.8% | 41.5% | 40.6% | 41.0% | 58.1% | 56.6% | 45.8% |
| % of students who smoked a whole cigarette for the first time before age 13 | Cigarettes before age 13 | 11.4% | 9.9% | 13.5% | 10.4% | 12.4% | 11.4% | 36.1% | 23.2% | 16.9% |
| % of students who smoked cigarettes on one or more of the past 30 days (days) | Cigarettes 1+ 30 days | 11.6% | 18.1% | 29.0% | 17.1% | 19.5% | 18.3% | 41.3% | 26.3% | 18.2% |
| % of students who smoked cigarettes on 20 or more of the past 30 days | Cigarettes frequent 20+ 30 days | 3.5% | 6.5% | 8.1% | 6.0% | 7.2% | 6.6% | N/A | 13.3% | 8.2% |
| % of students who smoked 2 or more cigarettes per day on the days they smoked during the past 30 days (cigarettes) | Cigarettes 2+ per day 30 days | 5.2% | 10.7% | 13.2% | 9.6% | 11.3% | 10.5% | N/A | 17.9% | 11.6% |
| Of students less than 18 years of age who were current smokers, % purchased cigarettes at a store or gas station during the past 30 days | Cigarettes under 18 bought 30 days | 15.2% | 6.3% | 9.8% | 3.9% | 11.5% | 7.7% | N/A | 17.2% | 9.5% |

| Item | Behavior | Muskegon 2008/09 | | | | | | Muskegon 1996/97 | Muskegon 2000/01 | Muskegon 2004/05 |
|---|-----------------------------------|---------------------|-----------|----------|--------|-------|-------|---------------------|---------------------|---------------------|
| | | Race/Ethnicity | | | Gender | | | | | |
| TOBACCO - continued | | African American | Caucasian | Hispanic | Female | Male | Total | Total | Total | Total |
| % of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days | Cigarettes daily ever | 7.4% | 13.1% | 21.6% | 12.6% | 13.9% | 13.2% | N/A | 20.4% | 13.9% |
| % of students who were current smokers and have tried to quit smoking during the past 12 months | Cigarettes tried quit - 12 months | 43.8% | 55.0% | 64.6% | 54.7% | 54.3% | 54.4% | N/A | N/A | 54.2% |
| among students who ever smoked cigarettes % of students who usually smoked: | Time of day smoking cigarettes | | | | | | | | | |
| before school | | 14.5% | 8.0% | 13.0% | 5.8% | 12.0% | 9.1% | N/A | N/A | N/A |
| during school | | 19.7% | 4.6% | 3.7% | 4.1% | 10.2% | 7.3% | N/A | N/A | N/A |
| after school | | 22.4% | 26.4% | 29.6% | 24.5% | 27.3% | 25.9% | N/A | N/A | N/A |
| week nights | | 11.8% | 11.4% | 7.4% | 13.3% | 9.1% | 11.1% | N/A | N/A | N/A |
| weekends | 31.6% | 49.6% | 46.3% | 52.2% | 41.4% | 46.6% | N/A | N/A | N/A | |
| % of students who used chewing tobacco or snuff on one or more of the past 30 days | Chewing tobacco 30 days | 3.9% | 7.0% | 6.2% | 1.2% | 12.3% | 6.8% | 15.9% | 4.4% | 4.0% |
| among students who ever used chewing tobacco % of students who usually used chewing tobacco: | Time of day chewing tobacco | | | | | | | | | |
| before school | | 13.8% | 4.2% | 0.0% | 2.9% | 6.6% | 6.5% | N/A | N/A | N/A |
| during school | | 55.2% | 18.1% | 26.7% | 23.5% | 24.4% | 24.0% | N/A | N/A | N/A |
| after school | | 13.8% | 30.6% | 26.7% | 23.5% | 29.5% | 28.9% | N/A | N/A | N/A |
| week nights | | 3.4% | 10.2% | 6.7% | 8.8% | 9.6% | 9.7% | N/A | N/A | N/A |
| weekends | 13.8% | 37.0% | 40.0% | 41.2% | 29.9% | 30.8% | N/A | N/A | N/A | |
| % of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days | Cigars 30 days | 12.6% | 9.8% | 18.6% | 7.4% | 15.5% | 11.5% | N/A | 13.0% | 10.4% |
| % of students who used any tobacco during the past 30 days | Any tobacco 30 days | 18.5% | 22.1% | 32.3% | 19.1% | 26.3% | 22.7% | N/A | N/A | 22.0% |
| ALCOHOL | | | | | | | | | | |
| % of students who had at least one drink of alcohol on one or more days during their life | Alcohol ever | 64.4% | 66.2% | 74.2% | 68.3% | 64.4% | 66.4% | 71.5% | 70.4% | 62.7% |
| % of students who had their first drink of alcohol other than a few sips before age 13 | Alcohol before age 13 | 23.9% | 18.6% | 24.7% | 19.7% | 21.9% | 20.8% | 29.8% | 29.0% | 24.6% |

| Item | Behavior | Muskegon 2008/09 | | | | | Muskegon 1996/97 | Muskegon 2000/01 | Muskegon 2004/05 | |
|--|---|---------------------|-----------|----------|--------|-------|---------------------|---------------------|---------------------|-------|
| | | Race/Ethnicity | | | Gender | | | | | |
| ALCOHOL - continued | | African American | Caucasian | Hispanic | Female | Male | Total | Total | Total | Total |
| % of students who had at least one drink of alcohol on one or more of the past 30 days | Alcohol 30 days | 39.7% | 38.1% | 50.9% | 40.2% | 37.8% | 39.0% | 39.7% | 39.3% | 33.2% |
| % of students who had 5 or more drinks of alcohol in a row, that is, within a couple of hours on one or more of the past 30 days | Alcohol binge 30 days | 15.7% | 23.1% | 29.6% | 22.0% | 23.3% | 22.7% | N/A | 24.8% | 18.5% |
| among students who reported current alcohol use the % who usually got alcohol by buying at a store during the last 30 days | Alcohol purchase at a store - current alcohol use | 9.5% | 2.6% | 1.8% | 1.7% | 6.2% | 3.9% | N/A | N/A | N/A |
| among students who ever drank alcohol % of students who usually drank alcohol: | Time of day alcohol | | | | | | | | | |
| before school | | 2.8% | 1.1% | 2.9% | 0.7% | 2.8% | 1.7% | N/A | N/A | N/A |
| during school | | 3.6% | 1.4% | 2.9% | 1.3% | 4.1% | 2.6% | N/A | N/A | N/A |
| after school | | 4.0% | 1.6% | 5.7% | 1.3% | 4.1% | 2.7% | N/A | N/A | N/A |
| week nights | | 10.4% | 3.9% | 6.7% | 5.2% | 5.1% | 5.1% | N/A | N/A | N/A |
| weekends | | 79.2% | 92.1% | 81.9% | 91.5% | 84.0% | 87.9% | N/A | N/A | N/A |
| OTHER DRUGS | | | | | | | | | | |
| % of students who used marijuana one or more times during their life | Marijuana ever use | 45.5% | 30.2% | 41.5% | 31.4% | 36.0% | 33.7% | 35.5% | 34.2% | 28.6% |
| % of students who tried marijuana for the first time before age 13 | Marijuana before age 13 | 14.7% | 5.7% | 14.1% | 6.1% | 11.0% | 8.5% | 15.7% | 10.6% | 9.7% |
| % of students who used marijuana one or more times during the past 30 days | Marijuana 30 days | 27.3% | 17.1% | 24.2% | 17.1% | 22.1% | 19.6% | 20.4% | 19.9% | 15.8% |
| among students who ever smoked marijuana % of students who usually smoked marijuana: | Time of day marijuana | | | | | | | | | |
| before school | | 6.5% | 1.5% | 6.0% | 1.3% | 5.4% | 3.6% | N/A | N/A | N/A |
| during school | | 6.0% | 4.4% | 0.0% | 2.5% | 8.0% | 5.6% | N/A | N/A | N/A |
| after school | | 15.7% | 15.8% | 8.0% | 14.1% | 16.0% | 15.1% | N/A | N/A | N/A |
| week nights | | 9.3% | 12.2% | 18.0% | 9.6% | 13.8% | 12.1% | N/A | N/A | N/A |
| weekends | 62.5% | 66.1% | 68.0% | 72.5% | 56.8% | 63.7% | N/A | N/A | N/A | |

N/A - not available

| Item | Behavior | Muskegon 2008/09 | | | | | Muskegon 1996/97 | Muskegon 2000/01 | Muskegon 2004/05 | |
|--|--|---------------------|-----------|----------|--------|-------|---------------------|---------------------|---------------------|-------|
| | | Race/Ethnicity | | | Gender | | | | | |
| OTHER DRUGS - continued | | African American | Caucasian | Hispanic | Female | Male | Total | Total | Total | Total |
| % of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life | Cocaine ever | 4.2% | 5.5% | 12.8% | 4.6% | 8.0% | 6.3% | 7.0% | 6.4% | 6.2% |
| % of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days | Cocaine 30 days | 3.5% | 2.4% | 6.6% | 2.1% | 4.8% | 3.5% | 4.2% | 3.5% | 3.4% |
| % of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paint or spray to get high one or more times during their life | Inhalants ever | 6.9% | 10.3% | 11.9% | 11.7% | 9.0% | 10.4% | 16.9% | 12.8% | 12.5% |
| % of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays one or more times to get high during the past 30 days | Inhalants 30 days | 5.2% | 4.4% | 6.2% | 5.3% | 5.2% | 5.3% | 12.7% | 5.0% | 6.0% |
| % of students who used heroin one or more times during their life | Heroin ever | 4.1% | 1.9% | 5.3% | 1.9% | 4.3% | 3.1% | 6.1% | 2.7% | 2.6% |
| % of students who used methamphetamines one or more times during their life | Methamphet- amines ever | 3.8% | 3.2% | 7.9% | 2.8% | 5.3% | 4.1% | 7.8% | 6.7% | 4.5% |
| % of students who took steroid pills or shots without a doctor's prescription one or more times during their life | Steroids ever | 4.7% | 2.6% | 4.8% | 2.3% | 5.1% | 3.7% | 4.7% | 4.0% | 3.6% |
| % of students who said they have used ecstasy one or more times during their life | Ecstasy ever | 4.3% | 3.7% | 7.1% | 3.0% | 6.1% | 4.6% | N/A | N/A | N/A |
| % of students who used a needle to inject any illegal drug into their body one or more times during their life | Illegal drug injection ever | 3.1% | 1.6% | 4.8% | 1.5% | 3.5% | 2.5% | 3.5% | 2.7% | 2.1% |
| % of students who illegally used prescription drugs one or more times during their life | Illegal use of prescription drugs ever | 11.2% | 17.8% | 20.7% | 17.2% | 17.7% | 17.4% | N/A | N/A | N/A |

| Item | Behavior | Muskegon 2008/09 | | | | | Muskegon 1996/97 | Muskegon 2000/01 | Muskegon 2004/05 |
|---|---|------------------|-----------|----------|--------|-------|---------------------|---------------------|---------------------|
| | | Race/Ethnicity | | | Gender | | | | |
| OTHER DRUGS - continued | | African American | Caucasian | Hispanic | Female | Male | Total | Total | Total |
| among students who ever used illegal drugs % of students who usually used illegal drugs: | Time of day illegal drugs | | | | | | | | |
| before school | | 7.8% | 7.9% | 3.2% | 4.0% | 13.8% | 9.9% | N/A | N/A |
| during school | | 19.6% | 12.3% | 3.2% | 7.5% | 18.8% | 14.0% | N/A | N/A |
| after school | | 19.6% | 16.2% | 16.1% | 19.0% | 13.8% | 15.9% | N/A | N/A |
| week nights | | 7.8% | 6.7% | 12.9% | 9.8% | 5.0% | 7.0% | N/A | N/A |
| weekends | 45.1% | 56.9% | 64.5% | 59.8% | 48.5% | 53.3% | N/A | N/A | |
| % of students who were offered, sold, or given an illegal drug during the past 12 months | Illegal drug exchange 12 months | 35.9% | 35.9% | 42.3% | 39.3% | 36.3% | 36.3% | N/A | N/A |
| SEXUAL BEHAVIOR | | | | | | | | | |
| % of students who had sexual intercourse | Sexual intercourse ever | 61.8% | 38.8% | 52.2% | 42.4% | 45.8% | 44.1% | 41.6% | 37.9% |
| % of students who had sexual intercourse for the first time before age 13 | Sexual intercourse before age 13 | 17.5% | 5.0% | 12.5% | 5.2% | 11.5% | 8.4% | 11.6% | 8.7% |
| % of students who had sexual intercourse with four or more people during their lives | Sexual intercourse 4+ partners | 22.0% | 9.0% | 14.5% | 10.5% | 14.0% | 12.3% | 14.6% | 12.7% |
| % of students who had sexual intercourse within the last 3 months | Sexual intercourse 3 months | 42.0% | 27.3% | 36.0% | 30.8% | 31.3% | 31.1% | N/A | 28.1% |
| Of students who have ever had sexual intercourse, % not having sexual intercourse during the past 3 months | Abstinence 3 months | 28.4% | 28.2% | 34.0% | 24.6% | 31.1% | 27.9% | N/A | 24.0% |
| Of students who had sexual intercourse during the past 3 months, % who drank alcohol or used drugs before last sexual intercourse | Alcohol or drugs before last intercourse 3 months | 17.4% | 22.3% | 30.9% | 17.0% | 28.9% | 22.9% | N/A | 27.9% |

N/A - not available

| Item | Behavior | Muskegon 2008/09 | | | | | | Muskegon 1996/97 | Muskegon 2000/01 | Muskegon 2004/05 |
|--|---|---------------------|-----------|----------|--------|-------|-------|---------------------|---------------------|---------------------|
| | | Race/Ethnicity | | | Gender | | | | | |
| SEXUAL BEHAVIOR - continued | | African American | Caucasian | Hispanic | Female | Male | Total | Total | Total | Total |
| Of students who had sexual intercourse during the past 3 months, % who used a condom during last sexual intercourse | Condom last intercourse 3 months | 61.1% | 55.1% | 50.7% | 50.2% | 62.2% | 56.2% | N/A | 59.5% | 61.6% |
| Of students who had sexual intercourse during the past 3 months, % who used birth control pills during last sexual intercourse | Birth control pills last intercourse 3 months | 10.6% | 26.1% | 14.7% | 23.5% | 17.4% | 20.9% | N/A | 17.5% | 15.6% |
| % of students who had ever been taught about HIV/AIDS infection in school | HIV/AIDS Instruction in school ever | 83.4% | 88.3% | 82.8% | 88.4% | 84.7% | 86.5% | N/A | 94.8% | 92.2% |
| WEIGHT & NUTRITION | | | | | | | | | | |
| % of students who are at risk for becoming overweight, whose Body Mass Index is >85% and <95% | Overweight risk | 24.3% | 14.9% | 17.5% | 17.1% | 16.0% | 16.6% | N/A | 13.6% | 16.6% |
| % of students who are overweight, whose Body Mass Index is > or = 95% | Overweight | 18.3% | 11.8% | 15.2% | 10.8% | 15.8% | 13.3% | N/A | 11.5% | 13.9% |
| % of students who described themselves as slightly or very overweight | Overweight perception | 22.2% | 31.1% | 34.5% | 35.6% | 24.5% | 30.0% | N/A | 28.6% | 30.1% |
| % of students who were trying to lose weight | Trying to lose weight | 36.9% | 48.0% | 57.3% | 60.6% | 33.5% | 47.0% | N/A | 43.5% | 44.2% |
| % of students who exercised to lose weight or keep from gaining weight during the past 30 days | Exercise 30 days | 58.2% | 64.8% | 70.4% | 67.8% | 59.9% | 63.8% | N/A | N/A | 61.5% |
| % of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days | Diet 30 days | 31.3% | 42.8% | 46.7% | 52.1% | 30.8% | 41.5% | N/A | N/A | 37.5% |
| % of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days | Fast 30 days | 11.2% | 10.8% | 15.0% | 15.0% | 8.3% | 11.6% | N/A | N/A | 13.3% |
| % of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days | Diet pills 30 days | 4.9% | 4.4% | 4.4% | 4.6% | 5.6% | 5.1% | N/A | N/A | 6.3% |
| % of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days | Vomit/laxatives 30 days | 6.0% | 4.5% | 6.7% | 6.6% | 4.0% | 5.3% | N/A | N/A | 5.6% |
| % of students who drank 100% fruit juices one or more times during the past 7 days | Fruit juices 7 days | 79.9% | 78.8% | 84.1% | 78.0% | 79.4% | 78.8% | N/A | N/A | 78.5% |

N/A - not available

| Item | Behavior | Muskegon 2008/09 | | | | | | Muskegon 1996/97 | Muskegon 2000/01 | Muskegon 2004/05 |
|---|---|---------------------|-----------|----------|--------|-------|-------|---------------------|---------------------|---------------------|
| | | Race/Ethnicity | | | Gender | | | | | |
| WEIGHT & NUTRITION - continued | | African American | Caucasian | Hispanic | Female | Male | Total | Total | Total | Total |
| % of students who ate fruit one or more times during past 7 days | Fruit 7 days | 82.3% | 89.8% | 87.7% | 89.1% | 87.3% | 88.2% | N/A | N/A | 85.0% |
| % of students who ate green salad one or more times during the past 7 days | Green salad 7 days | 43.2% | 58.1% | 59.1% | 60.4% | 51.7% | 56.0% | N/A | N/A | 56.6% |
| % of students who ate potatoes one or more times during the past 7 days | Potatoes 7 days | 65.4% | 78.0% | 72.7% | 75.0% | 75.8% | 75.4% | N/A | N/A | 70.7% |
| % of students who ate carrots one or more times during the past 7 days | Carrots 7 days | 26.1% | 54.2% | 56.2% | 48.8% | 52.2% | 50.5% | N/A | N/A | 47.6% |
| % of students who ate other vegetables one or more times during the past 7 days | Other vegetables 7 days | 69.1% | 85.5% | 80.2% | 84.8% | 80.0% | 82.4% | N/A | N/A | 80.4% |
| % of students who ate 5 or more servings of fruits and vegetables per day during the past 7 days | 5+ per day fruits/vegetables 7 days | 21.1% | 17.0% | 22.4% | 15.8% | 22.2% | 19.0% | N/A | N/A | 20.7% |
| % of students who drank 3 or more glasses of milk per day during the past 7 days | Milk 3+ per day 7 days | 11.2% | 18.3% | 14.5% | 12.8% | 21.9% | 17.3% | N/A | N/A | 20.0% |
| % of students who drank a can, bottle, or glass of soda pop one or more times per day during the past 7 days | Soda consumption 7 days | 36.3% | 28.9% | 29.1% | 26.9% | 33.6% | 30.2% | N/A | N/A | 34.5% |
| PHYSICAL ACTIVITY | | | | | | | | | | |
| % of students who watched 3 hours or more of TV per day on an average school day | TV 3+ hours avg. school day | 61.5% | 27.4% | 35.2% | 33.3% | 33.7% | 33.4% | N/A | 31.6% | 34.3% |
| % of students who attended physical education (PE) class one or more days during an average school week | PE 1+ days avg. school week | 44.3% | 36.5% | 42.0% | 28.7% | 49.4% | 38.9% | N/A | 41.1% | 40.4% |
| % of students who attended physical education (PE) class daily | PE 5 days avg. school week | 32.4% | 30.2% | 32.7% | 23.6% | 38.8% | 31.1% | N/A | N/A | 34.1% |
| % of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days (recommended level of physical activity) | Physical activity 60 minutes 5 or more of the past 7 days | 35.8% | 40.8% | 39.2% | 33.0% | 47.1% | 39.9% | N/A | N/A | N/A |

N/A - not available

| Item | Behavior | Muskegon 2008/09 | | | | | | Muskegon 1996/97 | Muskegon 2000/01 | Muskegon 2004/05 |
|--|---|------------------|-----------|----------|--------|-------|-------|---------------------|---------------------|---------------------|
| | | Race/Ethnicity | | | Gender | | | | | |
| PHYSICAL ACTIVITY - continued | | African American | Caucasian | Hispanic | Female | Male | Total | Total | Total | Total |
| % of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school week | Video/computer 3 or more hours per day on an average school week | 31.5% | 24.0% | 25.8% | 20.6% | 30.8% | 25.7% | N/A | N/A | N/A |
| % of students who played on one or more sports teams in the past 12 months | Played on one or more sports teams in the past 12 months | 58.7% | 60.0% | 60.4% | 54.0% | 66.3% | 60.1% | N/A | N/A | N/A |
| MEDICAL HEALTH | | | | | | | | | | |
| Percentage of students who have ever been told by a doctor or nurse that they have asthma | Asthma Diagnosis | 23.0% | 19.7% | 18.1% | 20.1% | 21.6% | 20.8% | N/A | N/A | 19.5% |
| % of students who still have asthma | Current Asthma | 19.3% | 13.0% | 16.3% | 15.3% | 14.5% | 14.9% | N/A | N/A | N/A |
| GAMBLING | | | | | | | | | | |
| Percentage of students who bet on both sporting events and card games and gambled on the internet during the past 30 days | Gambling 30 days | 4.2% | 1.1% | 1.8% | 0.7% | 3.2% | 2.0% | N/A | N/A | 2.0% |
| PERCEPTION TOWARD RISK BEHAVIORS | | | | | | | | | | |
| % of students who felt it was sort of easy/very easy to get cigarettes | Sort of easy/very easy to get cigarettes | 65.2% | 66.0% | 69.5% | 65.1% | 67.9% | 66.5% | N/A | N/A | N/A |
| % of students who felt their parents would feel it was very wrong/wrong for the student to smoke cigarettes | Parents feel it is very wrong/wrong for student to smoke cigarettes | 91.7% | 88.4% | 87.2% | 89.4% | 87.1% | 88.3% | N/A | N/A | N/A |
| % of students who felt it would be sort of easy/very easy to get alcohol | Alcohol access | 59.9% | 66.5% | 73.5% | 65.9% | 65.2% | 65.6% | N/A | N/A | N/A |
| % of students who felt their parents would feel it was very wrong/wrong for the student to drink alcohol | Parents feel it is very wrong/wrong for student to drink alcohol | 81.9% | 78.8% | 78.3% | 79.6% | 77.8% | 78.6% | N/A | N/A | N/A |

| Item | Behavior | Muskegon 2008/09 | | | | | Muskegon 1996/97 | Muskegon 2000/01 | Muskegon 2004/05 | |
|---|---|---------------------|-----------|----------|--------|-------|---------------------|---------------------|---------------------|-------|
| | | Race/Ethnicity | | | Gender | | | | | |
| PERCEPTION TOWARDS RISK BEHAVIORS - continued | | African American | Caucasian | Hispanic | Female | Male | Total | Total | Total | Total |
| % of students who felt their parents would feel it is very wrong/wrong for the student to smoke marijuana | Parents feel it is very wrong/wrong for students to smoke marijuana | 89.4% | 92.5% | 92.5% | 91.9% | 90.6% | 91.2% | N/A | N/A | N/A |
| % of students who felt that there is no risk/slight risk of people harming themselves when they smoke one or more packs of cigarettes per day | no risk/slight risk of harm by smoking one or more packs of cigarettes per day | 20.6% | 7.6% | 9.7% | 7.3% | 13.1% | 10.2% | N/A | N/A | N/A |
| % of students who felt that there is no risk/slight risk of people harming themselves when they have five or more drinks of alcohol once or twice each weekend | no risk/slight risk of harm by drinking five or more drinks of alcohol once or twice each weekend | 23.3% | 25.8% | 25.1% | 19.1% | 31.5% | 25.4% | N/A | N/A | N/A |
| % of students who felt that there is no risk/slight risk of people harming themselves when they smoke marijuana regularly (more than once a week) | no risk/slight risk of harm by smoking marijuana regularly | 37.3% | 26.7% | 32.4% | 22.4% | 35.4% | 29.0% | N/A | N/A | N/A |
| % of students who felt that there is no risk/slight risk of people harming themselves when they take any prescription drug, that was not prescribed for them, just for the experienced or feeling it caused | no risk/slight risk of harm by taking prescription drug that was not prescribed | 21.0% | 11.8% | 12.8% | 10.5% | 17.4% | 14.0% | N/A | N/A | N/A |
| % of students who felt that there is no risk/slight risk of people harming themselves when they use cocaine | no risk/slight risk of harm by using cocaine | 13.2% | 5.0% | 6.2% | 4.3% | 9.7% | 7.0% | N/A | N/A | N/A |